




**EXTERNAL DOORS
CREO | DECO | NOVA**

 400 E ILLINOIS ST SUITE B, LEMONT, IL 60439

 773-403-3463

 INFO@IMPERIALWINDOWS.COM



For the last three decades, we have been following the idea of the founder of the WIŚNIOWSKI brand, Andrzej Wiśniowski, who made it his goal to create innovative products addressing all of our customers' needs.

We want your home to be safe, secure, and comfortable. Taking advantage of our over 30 years of experience in the production of garage doors, gates, windows, doors, and fences, we offer our customers top quality products. We know what a modern home needs and what challenges the household may face.

Currently, our production hall spanning 270,000 square metres manufactures thousands of garage doors, gates, windows, doors, and fences every day. At the same time, we are also able to customize the products to meet our customers' requirements.

Everyone has different needs and expectations, which is why when manufacturing our products, we focus on listening to what you have to say. Meet the WIŚNIOWSKI brand – enter the world of comfort, safety, and security.



EXTERNAL DOORS **CREO | DECO | NOVA**

GENERAL
OVERVIEW 4 - 7

CREO
COLLECTION 8 - 37

DECO
COLLECTION 38 - 55

NOVA
COLLECTION 56 - 77

AVAILABLE
MODELS 78 - 87

INSPIRATIONS 88 - 107

www.wisniowski.eu



Choose a door for you

The element of your home you interact with most often is the door. All the guests see it, too. The fence and the façade give the first impression from the outside, whereas the door is a part of two realms – the outside and inside of your home. This is what makes the choice especially important, as the door has to visually connect the interior with the building façade and its surroundings.

Each building is different, so we made it possible to fully customize your WIŚNIEWSKI door. This way, you not only take care of the comfort and safety of your family, but you highlight the uniqueness of your home.

Aluminium **CREO** door with a double-sided flush panel

The whole face of the door leaf (inside and outside) is covered with top-quality aluminium sheets. The surface of the leaf is aligned with the surface of the frame, creating a flush, consistent, and elegant surface on both sides. Thanks to a special leaf infill and high-quality aluminium profiles, the Ud thermal transmittance factor of the CREO door is as low as 0.8 W/m² (for the door size of 1,400 x 2,500 mm with a solid panel).




Aluminium **DECO** door with
an insert panel

The door is available in three versions:

- DECO PLUS,
- DECO BASIC,
- DECO LIGHT.

The door leaf is based on aluminium profiles of different thickness, which lets you choose a solution best suited to the specific requirements of a residential building.



NOVA external door with a steel leaf and
an aluminium frame

The NOVA door structure is formed by an aluminium opening frame with a thermal break 77 mm thick. The leaf is made of steel sheet and infilled with an extruded PU foam board with a double chamber glass unit.

Technology is the foundation of beauty

When creating our doors, we think about the design, modern trends, and appealing styling. But we put just as much effort into what cannot be seen at first glance. This approach guarantees that your door will not only look perfect, but will also provide security, safety, warmth, and peace and quiet for many years to come. Our investments into technologies of the Fourth Industrial Revolution make both our products and your life better and more beautiful.



Technical data



Door type	CREO	DECO Plus	DECO Basic	DECO Light	NOVA
System	MB 86 SI+	MB 86 ST	MB 70	MB 60	AW
Installation depth	77 mm	77 mm	70 mm	60 mm	77 mm
Panel type	double-sided solid aluminium flush panel 77 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 35 mm thick	leaf 78 mm thick made of stainless steel, infilled with extruded PU foam and a laminated wood rail and stile
Type of glass panes in the panel	three-chamber safety glass 77 mm thick, U=0.6 W/m ² K with a warm edge as standard	two-chamber safety glass 45 mm thick, U=0.6 W/m ² K	two-chamber safety glass 45 mm thick, U=0.6 W/m ² K	two-chamber safety glass 35 mm thick, U=1.0 W/m ² K	two-chamber safety glass 72 mm thick, U=0.5 W/m ² K with a warm edge as standard
Thermal insulation	Ud from 0.8 W/m ² K for doors with reference dimensions of 1,400 x 2,500 mm	Ud from 1.2 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.4 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.8 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 0.87 W/m ² K for solid doors with external dimensions of 1,180 x 2,350 mm
Maximum dimensions	up to 1,400 x 2,500 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,180 x 2,350 mm

Your custom **CRE(O)**ated door

The design of the CREO door stands out thanks to its simplicity and elegance. It reflects the passion for modern trends in architecture and at the same time easily fits in with various approaches to decoration. What inspired the concept of the **CREO 300** was the observation of our customers' tastes. It is a design tailored to each user's individual vision. This unconventional approach to design allows you to become the creator of your own surroundings.



LUXURY CLASS



WARRANTY



WIŚNIEWSKI provides a 5 year warranty for the CREO doors.



Welcome to the world of **CREO doors**

External aluminium doors by WIŚNIEWSKI are a perfect solution for customers who value originality and unlimited possibilities of choice adapted to their own vision of their home. WIŚNIEWSKI doors provide freedom to create an individual and unique model. This is our creative approach to the individual needs of our customers.

WIŚNIEWSKI doors are an optimal solution that combines excellent thermal parameters, as well as noise and burglary protection with functionality and beautiful design.





BURGLARY PROTECTION

SAFETY

The RC2 and RC3 anti-burglary classification of the CREO doors certified by IFT Rosenheim Institute.



THERMAL INSULATION

THERMAL INSULATION

The thermal transmittance factor U_d is 0.8 W/m^2K for the CREO door with reference dimensions of 1,400 x 2,500 mm with a solid panel.



SOUND ABSORPTION

SOUND INSULATION

The CREO doors reduce noise from the outside to provide acoustic comfort.



RIGIDITY

RIGIDITY

CREO doors are certified for the 3rd climatic class according to PN-EN 12219:2001. Tested for E and D climates.



DESIGN

DESIGN

CREO doors are about universal design and the capability to create an individual product based on the 300 door.



LUXURY CLASS

LUXURY CLASS

Standard CREO aluminium doors include high-quality materials as standard, which guarantees safety, security, and durability and places them among products of the highest class in this segment.



WARRANTY

WARRANTY


The warranty for the CREO doors is 5 years. Door hardware and accessories are covered by a 24-month warranty.



ACCESS CONTROL

ACCESS CONTROL


WIŚNIEWSKI entrance doors may be fitted with a wide range of solutions providing full control over home access.



BURGLARY PROTECTION



THERMAL INSULATION



SOUND ABSORPTION

$U_d = 0.8 [W/m^2 \times K]$ – for the CREO door with reference dimensions of 1,400 x 2,500 mm with a solid panel.
 $R_w = 36 [dB]$ – for the CREO door with reference dimensions of 1,400 x 2,500 mm.

CREO doors

- 1 Aluminium door leaf** 77 mm thick with a double-sided flush panel
- 2 The leaf frame and the opening frame** are made of four-chamber aluminium sections with a thermal break
- 3 Liverpool I handle** as standard, ten other types of handles in several colours are available as an option
- 4 DuoSecure automatic three-point lock** without the day latch function as standard, electric locks available as an option
- 5 Day latch function button** (inside – activates the function, and outside – unlocks the lock). The external button can be installed in the lining or in the pull
- 6 Stainless steel decorative motifs** as standard, optionally in copper colour, mat structure and DECOR colours, film coated or black anodized
- 7 Stainless steel pulls** or in black
- 8 Threshold with a thermal break** and an 80 mm high thermal widening as standard
- 9 Three-chamber glass**, 77 mm thick, $U=0.6 \text{ W/m}^2\text{K}$ with a warm edge as standard
- 10 Roller hinges** as standard or optionally 3D adjustable hinges
- 11 Certified anti-burglary lock cylinder** with an emergency function, five keys and two service keys as standard. Lock cylinders are available in black colour as an option
- 12 Anti-burglary bolts** (optional accessory)
- 13 Milled patterns** with the option of matching to ribs in the sectional door
- 14 Electronic spy hole with a doorbell** (optional accessory)
- 15 Access control systems** (optional accessory)
- 16 Door closer concealed in the door leaf** (optional accessory)
- 17 Stainless steel kicker plate** installed in the bottom section of the panel



CREO collection



312

Colour: Modern Black
(RAL 9005)
Pull: Q5 40x20



311

Colour: HI COMFORT GRAY
(RAL 9006)
Pull: Q5 40x20



310

Colour: RAL 9003
Pull: Q10 40x20
Stainless steel kicker plate
(option)



313

Colour: DECOR Golden Oak
Pull: P10
Sidelight and toplight (colour: HI MODERN GRAPHITE)
Glass: 33.1 (2B2) mat safety glass



314

Colour: HI MODERN GRAPHITE
Stainless steel strips – option
Pull: Q10 40x20



323

Colour: RAL 3003
Pull: P10
Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)



322

Colour: RAL 3004
Pull: P10
Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)



321

Colour: Modern Black
Pull: Q5 40x40
Decorative motif: DECOR Winchester
Sidelight
Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)

CREO collection



315

Colour: RAL 1001
Decorative motif: RAL 1013
Pull: Q10 40x20



316

Colour: RAL 1015
Decorative motif: Sheffield Oak Light
Pull: V1



317

Colour: RAL 1019
Decorative motif: black anodized
Pull: Q10 40x20



318

Colour: HI MODERN MAROON
Decorative motif: RAL 9011
Stainless steel strips – option
Pull: Arco 04



319

Colour: Dark Oak film coating
Pull: Q5 40x40



326

Colour: RAL 7002
Pull: Q45RX 40x20
Glass: 33.1 (2B2) mat safety glass

324

Colour: RAL 1015
Pull: Q5 40x40
Glass: 33.1 (2B2) mat safety glass



325


Colour: RAL 9002
Pull: Arco 04
Glass: 33.1 (2B2) mat safety glass

CREO collection



349

Colour: RAL 8025
Pull: Q45RX 40x20
Sidelight and toplight
Glass: 33.1 (2B2) mat safety glass



350

Colour: RAL 8014
Pull: PSW
Glass: 33.1 (2B2) mat safety glass



347

Colour: RAL 1019
Pull: Q10 40x20
Glass: 33.1 (2B2) mat safety glass



345

Colour: RAL 9001
Pull: Q5 40x40
Glass: 33.1 (2B2), mat safety glass



336

Colour: RAL 5003
Pull: P5, short
Glass: 33.1 (2B2) mat safety glass



331

Colour: RAL 5024
Pull: Q45RX 40x20
Toplight
Glass: 33.1 (2B2) mat safety glass

CREO collection



360

Colour: RAL 7021, RAL 1018
Pull: Q10 40x20
Sidelight
Glass: 44.2 (P2) safety glass



401

Colour: RAL 1028
Decorative motif: black anodized
Pull: V3
Glass: 33.1 (2B2) mat safety glass



402

Colour: RAL 8019
Stainless steel strips – option
Pull: Q10 40x20
Glass: 33.1 (2B2) mat safety glass

403

Colour: RAL 8017
Decorative motif: black anodized
Stainless steel strips – option
Pull: Pion
Glass: 33.1 (2B2) mat safety glass

CREO collection



411

Colour: HI WILLOW GREEN
Pull: Q10 40x20
Glass: 33.1 (2B2) mat safety glass



412

Colour: HI ANTHRACITE
Pull: Arco O4
Glass: 33.1 (2B2) mat safety glass
Stainless steel strips – option



413

Colour: HI DEEP GREEN
Pull: Q5 40x40
Glass: 33.1 (2B2) mat safety glass



414


Colour: RAL 7038
Stainless steel strips – option
Pull: Q10 40x20
Glass: 33.1 (2B2) mat safety glass

415

Colour: RAL 7024
Stainless steel strips – option
Pull: V3
Glass: 33.1 (2B2) mat safety glass



CREO collection



501

Opening frame colour: Modern Black
Leaf colour: Ebony DECOR
Pull: KA1



502

Opening frame colour: HI MODERN GRAPHITE
Leaf colour: DECOR Winchester
Pull: Q10 40x20



503

Opening frame colour: Modern Black
Leaf colour: Ebony DECOR
Pull: P10



504

Opening frame colour: Modern Black
Leaf colour: Ebony DECOR
Door handle: Liverpool III
Glass: 44.2 (P2) mirror



603

Colour: HI DEEP GREEN
Pull: Q10 40x20
Stainless steel strips (copper)
Glass: 44.2 (P2) mirror




601

Colour: HI SMOKE GREEN
Door handle: Amsterdam (copper),
lock cylinder (black)
Stainless steel strips (copper)

CREO collection

602

Colour: Modern Black
Pull: Z29 B30x30
Stainless steel strips (copper)
Sidelight
Glass: 44.2 (P2) safety glass



701

Colour: Woodec Turner Oak Malt film coating
Pull: KA1
Decorative motif: sheet painted black



702

Colour: Anthracite grey film coating
Pull: KA1
Glass: 44.2 (P2) mirror




703

Colour: HI MODERN MAROON
Pull: KA1
Decorative motif: sheet painted in Modern Black

CREO door accessories



Concealed hinges – option



Roller hinges in colours matching the door colour



Sensor – option



Day latch function button on the leaf – option



Anti-burglary bolts

are an optional accessory that increases the anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf – option



Thermal widening by Stropex, height 80 mm

Lock types



DuoSecure automatic three-point lock



Autotronic HB motorized three-point lock with a child safety lock
- option



Multi-point electric lock: Multitronic, Multitronic Komfort
- option



Multipoint manual lock with integrated steel hooks and bolts

Electric locks are convenient and provide better safety than traditional entrance security solutions.



option



Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.

Pull collection



P5
○ 30 mm
580/960/2,200 mm

stainless steel



P1
○ 30 mm
620 mm

stainless steel



P10
○ 30 mm
1,200/1,600/
1,800 mm
○ 40 mm
2,000/2,200 mm

stainless steel



P10
○ 30 mm
1,200/1,600/
1,800 mm
○ 40 mm
2,000/2,200 mm

black



Q5
 □ 40x20 mm
 1,200/1,600/1,800
 2,000 mm

stainless steel



Q5
 □ 40x40 mm
 1,200/1,600/1,800
 2,000 mm

stainless steel



Q10
 □ 40x20 mm
 1,200^①/1,600/1,800/
 2,000/2,200 mm

stainless steel



Q10
 □ 40x20 mm
 1,200/1,600/1,800/
 2,000/2,200 mm

black



Q10
 □ 40x40 mm
 1,200^①/1,600/1,800/
 2,000/2,200 mm

stainless steel



Q10
 □ 40x40 mm
 1,200/1,600/1,800/
 2,000/2,200 mm

black



Q45RX
 □ 40x20 mm
 1,200 mm^①

stainless steel



Q45RX
 □ 40x40 mm
 1,200 mm^①

stainless steel

^① - The pull is also available with a micro-switch or sensor feature.

Pull collection



ARCO 01

○ 34 mm
1,200 mm

stainless steel



ARCO 04

□ 40x20 mm
1,200 mm

stainless steel



z29 b30x30

□ 30x30 mm
1,200/1,400/1,600/1,800/
2,000 mm

black



PROFILO 04

□ 100x20 mm
1,200/1,600/2,000 mm⁽¹⁾

stainless steel



PROFILO 04

□ 100x20 mm
1,200/1,600/2,000 mm⁽¹⁾

black (mat)



PROFILO 04 CARBON

□ 100x20 mm
1,200/1,600/2,000 mm

black



PSW

— 100x5 mm
1,800/2,000 mm
stainless steel

Flush pull collection



PION
150x500 mm



V1
230x135 mm



V2
230x135 mm



V3
230x135 mm



KA1
61x1,510 mm^①



KA1
61x1,510 mm^①

^① - The pull is also available with a micro-switch or sensor feature.

Handle collection



Liverpool I
colour: stainless steel
split cover plate



Marseille
colour: stainless steel
split cover plate



Paris
colour: stainless steel
split cover plate



Paris I
colour: stainless steel
split cover plate



Stockholm
colour: stainless steel
split cover plate



Amsterdam
colour: stainless steel
split cover plate



Amsterdam I
colour: copper
split cover plate



Amsterdam I
colour: brass
split cover plate



Toulon
colour: black
split cover plate



Toulon
colour: silver
split cover plate



Toulon
colour: old gold
split cover plate



Toulon
colour: titanium
split cover plate



Liverpool II
 colour: black (gloss)
 split cover plate



Liverpool III
 colour: black (mat)
 split cover plate



Jupiter I
 colour: stainless steel (imitation)
 split cover plate



Jupiter I
 colour: black (mat)
 split cover plate



Neptun
 colour: stainless steel (imitation)
 split cover plate



Neptun
 colour: black (mat)
 split cover plate



Liverpool
 colour: titanium
 oblong cover plate



Liverpool
 colour: old gold
 oblong cover plate



Liverpool
 colour: silver
 oblong cover plate



Liverpool
 colour: titanium
 oblong cover plate
 - option



Liverpool
 colour: silver
 oblong cover plate
 - option



Liverpool SKG***
 colour: silver
 oblong cover plate
 - option



Denver
 colour: stainless steel
 oblong cover plate
 - option



Escutcheon plate
 inswing door
 colour: stainless steel, Modern Black



Escutcheon plate
 outswing door
 colour: stainless steel, Modern Black



Sidelights, **toplights**



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + topline
(PD+GD)



Left sidelight + topline
(LD+GD)



Right sidelight + left sidelight + topline
(PD+LD+GD)



Topline (GD)

Glass types



33.1 (2B2) mat safety glass ^{(1), (3), (4)}



33.1 (2B2) safety glass ^{(3), (4)}



Stopsol brown ⁽¹⁾



Stopsol grey ⁽¹⁾



33.1 sanded ^{(1), (2), (3), (4)}



Stopsol brown ^{(3), (4)}



Stopsol grey ^{(3), (4)}



33.1 Two-way mirror

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

⁽¹⁾ – Glass available with door leaves from 321 to 350.

⁽²⁾ – Safety glass, sanded on both sides with viewing strips.

⁽³⁾ – Glass available in sidelights and toplight.

⁽⁴⁾ – Glass available with door leaf models 401-415.

DECO door collection with an insert panel

The DECO series aluminium doors will leave a lasting impression on all your guests.

They meet high technological requirements, which is characteristic of all our aluminium doors. Their highlights include high quality of materials, safety, and durability.


With the perfected technology of implementing the insert panel in the leaf, we were able to achieve an exceptional design that makes your home entrance stand out.



FUNCTIONALITY








DECO doors

- 1 **Aluminium door leaf** with an insert panel with a thickness of:
 - 35 mm – **DECO Light**,
 - 45 mm – **DECO Basic, DECO Plus**.
- 2 **The leaf frame and the opening frame** are made of three-chamber aluminium sections with a thermal break
- 3 **Standard double-sided Tokyo handle** in **3 colours** to choose from
- 4 **Various types of handles and pulls** (optional accessories)
- 5 **DuoSecure automatic three-point lock** without the day latch function as standard, electric locks available as an option
- 6 **Double-sided stainless steel decorative motifs**
- 7 **Threshold** with a thermal break as standard
- 8 **Two-chamber safety glass** as standard
- 9 **Surface hinges** as standard, concealed and roller hinges for the DECO Plus and DECO Basic doors are available as optional accessories
- 10 **Certified anti-burglary lock cylinder** with a set of five keys as standard
- 11 **Anti-burglary bolts** (optional accessory)
- 12 **Electronic spy hole with a doorbell** for the DECO Plus and DECO Basic (optional accessory)
- 13 **Access control systems** (optional accessory)
- 14 **Door closer concealed in the door leaf** DECO Plus and DECO Basic (optional accessory)



DECO Collection



137

Colour: RAL 5023
Pull: Q5 40x20
Glass: 33.1 (2B2) mat safety glass



144

Colour: RAL 7000
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



146

Colour: Metbrush aluminium film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

141

Colour: RAL 1028
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



142

AnTeak film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

138

Colour: rustic oak film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

DECO Collection



147

Daglesia film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

131

Winchester film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



145

Colour: Dark green film coating
Pull: Q5 40x40
Glass: 33.1 (2B2) mat safety glass





130

Colour: RAL 9016
Door handle: Tokyo
Sidelight
Glass: Stopsol grey

DECO Collection



143

Colour: RAL 7040
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



133

Colour: natural oak film coating
Pull: P1
Glass: 33.1 (2B2) mat safety glass



134

Colour: Golden Oak film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



139

Macore film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



148

Colour: RAL 3000
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



132

Siena Noce film coating
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

DECO Collection



140

Colour: RAL 7043
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass

135

Colour: Quartz
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass



136

Colour: HI MODERN GRAPHITE (RAL 7016)
Door handle: Tokyo
Glass: 33.1 (2B2) mat safety glass







DECO door accessories



Concealed hinges
option – DECO Plus, DECO Basic



Roller hinges in colours matching the door colour
option – DECO Plus, DECO Basic



Surface hinges in colours matching the door colour



Anti-burglary bolts are additional equipment that increases anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf
option – DECO Plus, DECO Basic



Door closer concealed in the leaf with a position lock
option – DECO Plus, DECO Basic


Lock types



DuoSecure automatic three-point lock



Autotronic HB motorized three-point lock with a child safety lock
- option



Multi-point electric lock: Multitronic, Multitronic Komfort
- option



option

Electric locks are convenient and provide better safety than traditional entrance security solutions.



Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.



Pull collection



P1
○ 30 mm
620 mm



P5
○ 30 mm
580/960/2,000 mm



Q5
□ 40x20 mm
1,200/1,600/1,800 mm



Q5
□ 40x40 mm
1,200/1,600/1,800 mm

Handle collection



Tokyo handle
colour: silver, old gold, titanium
oblong cover plate



Tokyo pull
colour: silver, old gold, titanium
oblong cover plate
- option



Amsterdam
colour: stainless steel
split cover plate
- option



Stockholm
colour: stainless steel
split cover plate
- option



Marseille
colour: stainless steel
split cover plate
- option



Denver handle
colour: stainless steel
oblong cover plate
- option



Denver pull
colour: stainless steel
oblong cover plate
- option



Paris
colour: stainless steel
split cover plate
- option



Paris I
colour: stainless steel
split cover plate
- option



Liverpool I
colour: stainless steel
split cover plate
- option

Sidelights, **toplights**



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + topline
(PD+GD)



Left sidelight + topline
(LD+GD)



Right sidelight + left sidelight + topline
(PD+LD+GD)



Toplight (GD)

Glass types



33.1 (2B2), mat safety glass



Stopsol brown



Stopsol grey



44.2 (P2) safety glass ⁽¹⁾



33.1 sanded ⁽²⁾



Stopsol brown ⁽¹⁾



Stopsol grey ⁽¹⁾

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

⁽¹⁾ - Glass only available in sidelights and toplights. ⁽²⁾ - Safety glass, sanded on both sides, with viewing strips.

Discover NOVA

NOVA doors are aluminium and steel external doors which combine excellent technical parameters with vast decorative options. The collection includes 39 predefined models available with an extensive range of RAL mat structure colours, Decor colours, and wood effect film coatings.

The standard accessories include an automatic three-point lock which – thanks to three points of action – ensures that the door resists water and wind. A high parameter of water-tightness makes it possible to install the NOVA door even in areas without roofing, without any concern for its strength and durability.




FUNCTIONALITY





18



THERMAL INSULATION




SOUND ABSORPTION

U_d from 0.87 [$\text{W}/\text{m}^2 \times \text{K}$] – thermal insulation for solid door with plastic threshold 1,180 × 2,350 mm.
 $R_w = 33$ [dB] – sound insulation according to PN-EN ISO 717-1:2013 for glazed doors.

NOVA door

- 1 Door leaf 78 mm thick** – steel, with a thick rebate, infilled with a PU board and a laminated wood rail and stile
- 2 Aluminium opening frame** made of three-chamber sections with a thermal break 77 mm deep
- 3 Plastic threshold** in black colour as standard, an aluminium threshold with a thermal break is available as an optional accessory
- 4 Automatic three-point lock without the day latch function** with 3 strike plates enabling simple adjustment; optionally a lock with the Autotronic electric motor
- 5 A broad range of handles and pulls** made of stainless steel or in black colour
- 6 Standard lock cylinder with 3 keys** in stainless steel colour, optionally in black colour
- 7 3 hinges** adjusted in 3 planes
- 8 Anti-burglary bolts** – 6 pieces as standard
- 9 Gasket in the leaf** around the circumference and an additional one in the opening frame
- 10 In the leaf – double-chamber safety glass with black warm edges** recessed in the leaf lining, in sidelights – double-chamber safety glass with a black warm edge
- 11 Colours** – leaf made of galvanized and powder coated sheet in dedicated RAL colours (mat structure), also available in HI 2.0 and Decor colours, as well as with wood effect film coatings
- 12 Day latch function buttons** (optional accessories)
- 13 Access control systems** (optional accessories)
- 14 Door closer concealed in the door leaf** (optional accessory)



NOVA collection



001

Colour: DECOR Titanium
Pull: Q10 40x20



013

Colour: DECOR Concrete
Stainless steel strip
Decorative motif: Modern Black RAL 9005
Pull: Q10 40x20



014

Colour: HI Comfort Grey
Decorative motif: DECOR Concrete
Pull: P5



015

Colour: Modern Black RAL 9005 mat structure
Decorative motif: DECOR Calvados
Pull: Q10 40x20



011

Colour: DECOR Calvados
Decorative motif: stainless steel
Pull: Q45 RX



021

Colour: HI Modern Maroon
Decorative motif: stainless steel
Pull: P5

NOVA collection



010

Colour: Quartz
Decorative motif: stainless steel
Pull: P5




020

Colour: Modern Black
RAL 9005 mat structure
Decorative motif: stainless steel
Pull: Q10 40x40 black
Glass: 44.2 (P2) mat safety glass



009

Colour: DECOR Winchester
Decorative motif: stainless steel
Pull: Q45RX



012

Colour: RAL 7037 mat structure
Decorative motif: stainless steel
Haga handle



023

Colour: DECOR Titanium
 Decorative motif: stainless steel
 Pull: Q10 40x20
 Glass: 44.2 (P2) mat safety glass



028

Colour: HI True Blue
 Decorative motif: DECOR Titanium
 Pull: Q5 40x20
 Glass: 44.2 (P2) mat safety glass



004

Colour: RAL 5004 mat structure
 Decorative motif: stainless steel
 Pull: P5
 Glass: 44.2 (P2) mat safety glass

024

Colour: DECOR Pinia Oak
 Decorative motif: stainless steel
 Pull: Q5 40x20
 Glass: 44.2 (P2) mat safety glass

NOVA collection



015

Colour: DECOR Golden Oak
Decorative motif: Modern Black RAL
9005 mat structur
Pull: P5



022

Colour: DECOR Golden Oak
Decorative motif: Modern Black RAL
9005 mat structure
handle: Ceres



018

Colour: Modern Black RAL 9005
Decorative motif: DECOR Golden Oak
Pull: P5





NOVA collection



008

Colour: RAL 7006 mat structure
Decorative motif: stainless steel
Pull: Q10 40x20
Glass: 44.2(P2) mat safety glass



002

Colour: DECOR AnTeak
Decorative motif: stainless steel
Pull: P5
Glass: 44.2(P2) mat safety glass



005

Colour: RAL 7047 mat structure
Decorative motif: stainless steel
Pull: P5
Glass: Stopsol grey



003

Colour: DECOR Titanium
 Decorative motif: stainless steel
 Pull: Q10 40x40
 Glass: 44.2 (P2) mat safety glass

016

Colour: HI Modern Graphite
 Decorative motif: stainless steel
 Pull: P5
 Glass: 44.2 (P2) mat safety glass



006

Colour: DECOR Titanium
 Decorative motif: stainless steel
 Pull: P5
 Glass: 44.2 (P2) mat safety glass



017

Colour: HI Modern Graphite
 Decorative motif: DECOR Titanium
 Pull: Arco 01
 Glass: 44.2 (P2) mat safety glass

NOVA collection



019

Colour: HI Smoke Green
Decorative motif: stainless steel
Pull: P5
Glass: 44.2 (P2) mat safety glass



029

Colour: HI Comfort Grey
Decorative motif: stainless steel
Pull: Q10 40x40
Glass: 44.2 (P2) mat safety glass



026

Colour: RAL 7024 mat structure
Decorative motif: Modern Black RAL 9005 mat structure
Pull: P5
Glass: Stopsol grey



027

Colour: RAL 3000 mat structure
Decorative motif: stainless steel
Pull: P5
Glass: Stopsol grey



030

Colour: DECOR Wenge
 Decorative motif: stainless steel
 Pull: P5
 Glass: 44.2 (P2) mat safety glass



007

Colour: RAL 7006 mat structure
 Decorative motif: stainless steel
 Pull: Q10 40x20
 Glass: 44.2 (P2) mat safety glass



031

Colour: RAL 7047 mat structure
 Decorative motif: stainless steel
 Pull: Q10 40x20
 Glass: 44.2 (P2) mat safety glass

NOVA collection



033

Winchester film coating
Decorative motif: stainless steel
Pull: P10
Glass: 44.2 (P2), mat safety glass



037

Colour: RAL 3003 mat structure
Pull: Q45RX
Glass: 44.2 (P2), mat safety glass



039

Colour: Decor Ebony
Pull: P5
Glass: Stopsol grey



038

Colour: RAL 7037 mat structure
Pull: P5
Glass: Stopsol grey



036

Colour: RAL 6012 mat structure
Pull: P5
Glass: 44.2 (P2), mat safety glass



034

Colour: DECOR Pinia Oak
Pull: P5
Glass: 44.2 (P2), mat safety glass



035

Colour: HI Comfort Grey
Pull: P5
Glass: 44.2 (P2), mat safety glass



032

Colour: Modern Black RAL9005 mat structure
Decorative motif: stainless steel
Pull: P5
Glass: 44.2 (P2), mat safety glass

NOVA door accessories



3D hinges – in the colour of the painted opening frame or silver colour (doors in DECOR colours)




Anti-burglary bolts



Door closer concealed in the door leaf with a position lock
– option



Door closer concealed in the door leaf – option



Thick rebate



Stainless steel decorative motif or in DECOR and RAL mat structure colours



Single-channel UniLock reader (includes 3 security devices: fingerprint scanner, code keypad, RFID)
– option

Single-channel fingerprint scanner, code keypad, and RFID reader
– option

Lock types



Three-point automatic lock with deadbolt latches



Autotronic three-point motorized lock with a child safety lock - option



Microswitch - option



Day latch function buttons - internal and outdoor



Pull collection



P1
 ○ 30 mm
 620 mm



P5
 ○ 30 mm
 580/960/2,000 mm



P10
 ○ 30 mm
 1,200/1,600/1,800 mm

stainless steel
 black



Q5
 □ 40x20 mm
 1,200/1,600/1,800 mm



Q5
 □ 40x40 mm
 1,200/1,600/1,800 mm



Q10
 □ 40x20 mm
 1,200⁽¹⁾/1,600/1,800 mm

stainless steel
 black



Q10
 □ 40x40 mm
 1,200⁽¹⁾/1,600/1,800 mm

stainless steel
 black



Q45RX
 □ 40x20 mm
 1,200 mm⁽¹⁾



Q45RX
 □ 40x40 mm
 1,200 mm⁽¹⁾

⁽¹⁾ - The pull is also available with a microswitch feature.

Handle collection



ARCO 01

○ 34 mm
1,200 mm⁰¹⁾



PROFILO 04

▬ 100x20 mm
1,200/1,600/2,000 mm⁰¹⁾



Standard

colour: stainless steel
oblong cover plate



Denver

colour: stainless steel
oblong cover plate



Tokyo

colour: stainless steel
oblong cover plate



Haga

colour: black anodized, inox
oblong cover plate



Haga I

colour: black mat, inox
oblong cover plate
RC class



Jupiter Premium

colour: black anodized, inox
oblong cover plate
RC class



Ceres

colour: black anodized, inox
split cover plate



Diana

colour: black anodized, inox
split cover plate
RC class



Mars

colour: black anodized, inox
split cover plate
RC class

Sidelights, toplights

Sidelights / toplights used in the NOVA doors are elements in separate frames.



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + topline
(PD+GD)



Left sidelight + topline
(LD+GD)



Right sidelight + left sidelight + topline
(PD+LD+GD)



Topline (GD)

Glass types



44.2 (P2) mat safety glass



44.2 (P2) safety glass



Stopsol brown



Stopsol grey



33.1 (2B2) mat⁽¹⁾



33.1 (2B2)⁽¹⁾



44.4 (P4) anti-burglary glass



Two-way mirror

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

⁽¹⁾ - Glass only available in sidelights and toplights.

A feast of colours

Colour is the first feature our senses react to. We made every effort to ensure that the colour palette of WIŚNIEWSKI external doors should cater to even the most sophisticated tastes.

Different finishing technologies provide a unique look to the CREO, DECO, and NOVA doors. Mat structure colours from the RAL and DECOR palettes provide exceptional visual effects, while film coating makes it possible to obtain a wood-effect structure.

Create your individual colour composition to match both your interior and façade design. Open up to new possibilities. Embrace the colours.



BICOLOUR

Thanks to the bicolour mat structure painting option for the door, the colour of the CREO door can be different inside and outside.

Mat structure colours, DECOR and film coatings.

Standard colours

(mat structure)

 <p>HI MODERN GRAPHITE (RAL 7016) ⁽²⁾</p>	 <p>Modern Black RAL 9005 ⁽¹⁾</p>	 <p>Modern Pearl RAL 1013 ⁽¹⁾ ⁽²⁾</p>	 <p>Modern White RAL 9010 ⁽¹⁾ ⁽²⁾</p>	 <p>RAL 3000</p>	 <p>RAL 5003</p>
 <p>RAL 5004 ⁽¹⁾</p>	 <p>RAL 6005</p>	 <p>RAL 6009 ⁽¹⁾</p>	 <p>RAL 6012 ⁽¹⁾</p>	 <p>RAL 7006 ⁽¹⁾</p>	 <p>RAL 7021 ⁽¹⁾</p>
 <p>RAL 7024</p>	 <p>RAL 7026 ⁽¹⁾</p>	 <p>RAL 7035</p>	 <p>RAL 7037 ⁽¹⁾</p>	 <p>RAL 7043 ⁽¹⁾</p>	 <p>RAL 7047 ⁽¹⁾</p>
 <p>RAL 8011</p>	 <p>RAL 8014 ⁽¹⁾</p>	 <p>RAL 9001 ⁽¹⁾</p>	 <p>HI COMFORT GRAY (RAL 9006)</p>	 <p>HI WARM STONE (RAL 9007)</p>	 <p>RAL 9016 ⁽²⁾</p>
 <p>HI ANTHRACITE ⁽²⁾</p>	 <p>Cast Iron ⁽²⁾</p>	 <p>Quartz</p>	<p>Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.</p> <p>⁽¹⁾ - Colours for the DECO doors available from the special colour palette. ⁽²⁾ - The Bicolour option available for the CREO doors.</p>		

Film coatings

Film coatings available for the CREO, DECO, and NOVA door collections⁽¹⁾.



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

⁽¹⁾ – NOVA door available with the following film coatings: Golden Oak 2178001-167, Walnut 2178007-167, Winchester 49240, Anthracite Grey 701605-167, Woodec Turner Oak Malt F4703001, Dark Grey Silk F436-7003, Natural Oak 3118076-168, Dark Oak 2052089-167, Sapeli 2065021-167, AnTeak 3241002-195, Silver Grey (silbergrau) 715505-167, Black Ulti-Mat 47097, Woodec Turner Oak Toffe F4703004, Anthracite Grau F4706003, Anthracite Quartz Mat F4701014. When wood effect film coating is selected, a 15 mm stainless steel edge will be provided on both sides around the glass on the inside and outside of the leaf.

DECOR colours



Special colours

(mat structure)



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

⁽¹⁾ - The Bicolour option available for the CREO doors.

Special colours

(mat structure)


RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014	RAL 5015	RAL 5017	RAL 5018	RAL 5019	RAL 5021
RAL 5023	RAL 5024 ⁽¹⁾	RAL 6001	RAL 6003	RAL 6004	RAL 6007	RAL 6008	RAL 6011	RAL 6013	RAL 6014	RAL 6015
RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6021	RAL 6022	RAL 6027	RAL 6029	RAL 6033	RAL 6034	RAL 7000
RAL 7001	RAL 7002	RAL 7003	RAL 7004	RAL 7005	RAL 7008	RAL 7009	RAL 7010	RAL 7011 ⁽¹⁾	RAL 7012	RAL 7013
RAL 7015	RAL 7022	RAL 7023	RAL 7030 ⁽¹⁾	RAL 7031 ⁽¹⁾	RAL 7032	RAL 7033	RAL 7034	RAL 7036 ⁽¹⁾	RAL 7038 ⁽¹⁾	RAL 7039
RAL 7040	RAL 7042	RAL 7044	RAL 7045	RAL 7046	RAL 8000	RAL 8001	RAL 8002	RAL 8003	RAL 8004	RAL 8007
RAL 8008	RAL 8012	RAL 8015	RAL 8016	RAL 8017	RAL 8019	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8028
RAL 9002	RAL 9003	RAL 9004	RAL 9008	RAL 9011	RAL 9017	RAL 9018				

Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.


⁽¹⁾ - The Bicolour option available for the CREO doors.

Home Inclusive 2.0 colours


HI EARTH




HI SMOKE GREEN



HI WILLOW GREEN




HI FERN GREEN




HI DEEP GREEN


HI STONE




HI COMFORT GREY



HI WARM STONE




HI QUARTZ GREY




HI BROWN STONE

HI STEEL




HI TRUE BLUE



HI MARINA HORIZON




HI ANTHRACITE




HI MODERN GRAPHITE


HI RUBY




HI MOODY CORAL



HI FLAME RED



HI MODERN MAROON



HI DEEP BROWN

Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

NEW!
COLOURS

HOME
INCLUSIVE^{2.0}

The Home Inclusive 2.0
colour collection

Add exceptional character to your property with the unique depth effect of the HI 2.0 colours.



Access control systems



Code keypad, single-channel



Two-channel proximity reader



Single-channel fingerprint scanner



Single-channel UniLock reader
– fingerprint scanner, code keypad and RFID
in a single device



RFID reader




Sensor



Two-channel fingerprint scanner
with the “guest” feature.



Two-channel code keypad



Electronic spy hole with a doorbell, memory card, and infrared photo camera with motion detection



Four-channel remote control



Day latch activation button - in black colour




Wireless door bell, compatible with the two-channel code keypad



I am smartCONNECTED

The functionality behind the smartCONNECTED name is an investment that benefits your entire family, because to enter your home, you no longer need to lug around a weighty bunch of keys. Parents can let their children inside without leaving the office. You can also check whether the gate is closed by using your smartphone. What is more, thanks to the use of algorithms, your smart home can memorize the lifestyle of its inhabitants and perform basic actions, such as opening and closing the roller shutters for them. And with the global positioning function, it can also open the gate just before you arrive home.






TREAT YOURSELF TO COMFORT AND SAFETY

- Control your garage doors, gates, windows, doors, and roller shutters remotely.
- Open garage doors and gates without touching your remote.
- Manage your home via a voice assistant.



 **WIŚNIEWSKI** POWERED BY  **somfy.**



CREATE A ROOM
in your home.

CONTROL GROUPS OF
lights and roller shutters.

CONTROL INDIVIDUAL
devices.

Create **YOUR OWN**
OPERATION SCENARIOS.

SmartCONNECTED brings the CREO and DECO doors with an electric lock to the next stage of product development and makes it possible to tailor them to the requirements of increasingly demanding customers. On the one hand, it makes it possible to control the devices with a smartphone, and on the other, it gives the users full control and lets them stay in touch with their home from any place in the world. io-homecontrol® makes it possible wireless connection of the CREO door with the electric lock and the Somfy radio system to the smart home system controlled by the WIŚNIEWSKI smartCONNECTED Box and Somfy TaHoma Switch central control units. Building a comprehensive smart home provides a number of benefits and additional features that enhance your comfort every single day.

INSPIRATION



NOVA | 004 | HI MODERN GRAPHITE
PRIMO | HI MODERN GRAPHITE




NOVA | 033 | HI Anthracite

INSPIRATION



CREO | 310 | HI MODERN GRAPHITE





NOVA | 015 | Anthracite Grey / Ebony
PRIMO | Anthracite Grey

INSPIRATION



CREO | 300 | Modern Black



WIŚNIEWSKI

CREO | 349 | HI MODERN GRAPHITE
UniTherm | HI MODERN GRAPHITE

INSPIRATION



CREO | 310 | Sheffield oak light
UniTherm | Sheffield oak light



CREO | 322 | RAL 7026 | mat structure

INSPIRATION





CREO | 321 | RAL 7035 | mat structure

INSPIRATION



CREO | 311 | HI MODERN GRAPHITE





DECO | 131 | RAL 7037 | mat structure
UniPro | Anthracite | Sandgrain

INSPIRATION



CREO | 322 | HI MODERN GRAPHITE



DECO 145 | Winchester

INSPIRATION



CREO | 331 | RAL 9016 | mat structure



CREO | 311 | HI MODERN GRAPHITE

INSPIRATION



CREO | 311 | HI MODERN GRAPHITE



Let us inspire you in your search for new solutions!

WIŚNIEWSKI doors protect access to your home and improve its appeal not only from the front. To ensure comprehensive safety and create a visually cohesive effect, we prepared a range of technical doors, side doors matching the garage door, and patio doors. Discover how much we can offer you.

WIŚNIEWSKI. Garage doors, windows, doors, gates, fences.

It's great when everything goes together perfectly...

because harmony is the highest form of beauty. Choose your **garage door**, **windows**, and **shutters**, as well as **doors** and **fence** in the Home Inclusive™ system, which will create a matching set in terms of design and colour. Highlight this harmony with the smartCONNECTED smart control function and meet perfection that will never go out of fashion. A matching set of joinery and fence? From a single manufacturer in uniform design – because it is great when all the elements harmonize with your dreams, your home, and one another.



LET US INSPIRE YOU WITH OUR NEW HOME INCLUSIVE COLLECTION FEATURING 16 UNIQUE

HI EARTH





HI QUARTZ GREY



ON

HI ANTHRACITE



HI DEEP GREEN



UE COLOURS!

HI STONE



HI STEEL



HI RUBY





WIŚNIEWSKI

GATES | WINDOWS | DOORS | FENCES



DISCOVER
MORE...



www.wisniowski.eu

The products shown in the photographic material often feature special equipment and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIEWSKI Sp. z o.o. S.K.A. • 09/22/EN